



لیست قیمت محصولات **HDCVI** داهوا

HDCVI Cameras / PTZ / Recorders

Version 2.2

2024 Spring | بهار ۱۴۰۳








NO.	Model	Appearance	Specification	Price (IRR)
<div style="display: flex; align-items: center;"> <div style="background-color: #28a745; color: white; border-radius: 50%; padding: 5px; margin-right: 10px;">2MP</div> <div> <p>Cooper & Lite Bullet HDCVI Cameras</p> </div> </div>				
1	DH-HAC-B1A21P		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V • Plastic Case 	11,250,000
2	DH-HAC-B2A21P		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V • Metal Case 	12,950,000
3	DH-HAC-HFW1200CP		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • IP67, DC12V • Plastic Case 	14,500,000
4	DH-HAC-HFW1200CMP		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • IP67, DC12V • Metal Case 	15,500,000







NO.	Model	Appearance	Specification	Price (IRR)
5	DH-HAC-HFW1200SP		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • IP67, DC12V • Metal Case 	15,900,000
6	DH-HAC-HFW1200TP		<p>"2MP HDCVI PoC IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • Privacy Masking • IP67, DC12V • Metal Case 	16,450,000
7	DH-HAC-HFW1200TLP		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 80m, Smart IR • Privacy Masking • IP67, DC12V • Metal Front & bracket + plastic main body 	16,450,000
8	DH-HAC-HFW1200CMP-A  MIC		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR ,IP67, DC12V • Privacy Masking • Built-in Mic • Metal Case 	16,250,000










NO.	Model	Appearance	Specification	Price (IRR)
9	DH-HAC-HFW1200TP-A  MIC		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • Privacy Masking • IP67, DC12V • Built-in Mic • Metal Case 	16,900,000
10	DH-HAC-HFW1200TLP-A  MIC		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR ,Electronic Defog • Max. IR length 80m, Smart IR • Privacy Masking • IP67, DC12V • Built-in Mic • Metal Front & bracket + plastic main body 	16,500,000
11	DH-HAC-HFW1200THP-I4		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 40m, Smart IR • Privacy Masking • IP67, DC12V • Metal Front & bracket + plastic main body 	16,900,000
12	DH-HAC-HFW1200THP-I8		<p>"2MP HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 80m, Smart IR • Privacy Masking • IP67, DC12V • Metal Front & bracket + plastic main body 	18,900,000

NO.	Model	Appearance	Specification	Price (IRR)
13	DH-HAC-HFW1200DP		<p>"2MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, AGC, Electronic Defog • Max. IR length 80m, Smart IR • Privacy Masking • IP67, DC12V • Metal Case 	20,500,000
14	DH-HAC-HFW1209CP-LED Full-Color		<p>"2MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance, Smart IR • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Metal Front & bracket + plastic main body 	15,250,000
15	DH-HAC-HFW1209CMP-LED Full-Color		<p>"2MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance , Smart IR • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Metal Case 	18,950,000
16	DH-HAC-HFW1209CMP-A-LED Full-Color MIC		<p>"2MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,2DNR • 20m illumination distance , Smart IR • Privacy Masking • IP67, 12V±30% DC • 24/7 color imaging • Mirror • Built-in Mic • Metal Case 	19,500,000

NO.	Model	Appearance	Specification	Price (IRR)
17	DH-HAC-HFW1209TLMP-A-LED Full-Color 		"2MP HDCVI IR Full-Color Bullet Camera" • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR,AGC • 40m LED distance, Smart IR • 24/7 color imaging • IP67, 12V±30% DC • Built-in Mic • Metal front & bracket + plastic main body	20,950,000
18	DH-HAC-HFW1239TP-LED Full-Color		"2MP HDCVI IR Full-Color Bullet Camera" • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm Optional) • WDR, Day/Night(ICR),BLC,HLC,2DNR ,Electronic Defog • Full-color starlight , Smart Light • 20m LED distance • IP67, DC12V±30% • 16X Digital Zoom • Privacy Masking • Metal Case	24,250,000
19	DH-HAC-HFW1239TLMP-LED Full-Color		"2M Full-Color Starlight HDCVI Bullet Camera" • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Full-color starlight , Smart Light • 40m LED distance • IP67, 12V±30% DC, • 16X Digital Zoom • Metal front & bracket + plastic main body	25,900,000
20	DH-HAC-HFW1239TP-A-LED Full-Color 		"2M Full-Color Starlight HDCVI Bullet Camera" • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Full-color starlight , Smart Light • 20m LED distance • IP67, DC12V±30% • 16X Digital Zoom • Privacy Masking • Built-in Mic • Metal Case	24,850,000

NO.	Model	Appearance	Specification	Price (IRR)
21	DH-HAC-HFW1239TLMP-A-LED 		<p>“2M Full-color Starlight HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Full-color starlight ,Smart Light • 40m LED distance • IP67, DC12V±30%, 16X Digital Zoom • Privacy Masking • Built-in Mic • Metal front & bracket + plastic main body 	26,550,000
22	DH-HAC-HFW1239MHP-A-LED 		<p>“2MP Full-Color HDCVI Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR,AGC • 50m LED distance, Smart Light • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Built-in Mic • Metal front & bracket + plastic main body 	31,950,000
<p> 2MP Cooper & Lite Dome HDCVI Cameras</p>				
23	DH-HAC-T1A21P		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V • Plastic Case 	11,250,000
24	DH-HAC-T2A21P		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max.30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • IP67, DC12V • Metal Case 	12,950,000

NO.	Model	Appearance	Specification	Price (IRR)
25	DH-HAC-HDW1200TRQP		<p>"2MP HDCVI Quick-to-install IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • CVI/CVBS/AHD/TVI switchable • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, Smart IR • Privacy Masking • IP50, DC12V • Plastic Case 	13,850,000
26	DH-HAC-HDW1200MP		<p>"2MP HDCVI IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67, DC12V • Metal Case 	14,950,000
27	DH-HAC-HDW1200LP  MIC		<p>"2MP HDCVI IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.1mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 3m, Smart IR • IP67, DC12V • Built-in Mic • Plastic Case 	EOL
28	DH-HAC-HDW1200TRQP-A  MIC		<p>"2MP HDCVI Quick-to-install IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • CVI/CVBS/AHD/TVI switchable • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Privacy Masking • Max. IR length 25m, Smart IR • IP50, DC12V • Built-in Mic • Plastic Case 	14,950,000







NO.	Model	Appearance	Specification	Price (IRR)
29	DH-HAC-HDW1200TLP-A 		<p>“2MP HDCVI IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • Privacy Masking • Built-in Mic • IP67, DC12V • Plastic Case 	15,950,000
30	DH-HAC-HDW1200EMP-A 		<p>“2MP HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • HD and SD output switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 50m, Smart IR • Privacy Masking • Built-in Mic • IP67, DC12V • Metal Case 	18,050,000
31	DH-HAC-HDW1209TLQP-LED 		<p>“2MP Full-Color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,2DNR, AGC • 20m illumination distance, Smart IR • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Metal Inner core + Plastic Cover 	15,500,000
32	DH-HAC-HDW1209TLQP-A-LED  		<p>“2MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,2DNR, AGC • 20m illumination distance, Smart Light • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Built-in Mic • Metal Inner core + Plastic Cover 	17,950,000

NO.	Model	Appearance	Specification	Price (IRR)
33	DH-HAC-HDW1239TLQP-A-LED Full-Color 		<p>“2MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • WDR 130 dB, BLC, HLC, 3DNR, Gain Control • 20m illumination distance, Smart Light • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Built-in Mic • Metal inner core + plastic cover + plastic pedestal 	21,650,000
34	DH-HAC-HDW1239TP-IL-A Full-Color 		<p>“2MP Smart Dual Illuminators HDCVI IR Eyeball Camera”</p> <ul style="list-style-type: none"> • Max 30fps@1080P • Super Adapt • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • Day/Night(ICR),BLC,HLC,AGC • 130dB True WDR, 3DNR • Max. IR length 40m, Smart IR • Privacy Masking • Built-in Mic • IP67, DC12V • Mirror • Metal Case 	29,450,000
<div style="display: flex; align-items: center;"> <div style="border: 1px solid green; border-radius: 50%; padding: 2px 5px; margin-right: 5px;">5MP</div> <div style="margin-right: 5px;">Cooper& Lite</div> <div style="font-size: 0.8em; margin-left: 5px;">Bullet HDCVI Cameras</div> </div>				
35	DH-HAC-B1A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 20m, Smart IR • Privacy Masking • HD and SD output switchable • IP67, DC12V • Mirror • Plastic Case 	18,750,000
36	DH-HAC-B2A51P		<p>“5MP HDCVI Fixed IR Bullet Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Max. IR length 20m, Smart IR • IP67, DC12V • Mirror • Privacy Masking • Metal Case 	19,750,000








NO.	Model	Appearance	Specification	Price (IRR)
37	DH-HAC-HFW1500CP		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 25fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, AGC • Max. IR length 30m, Smart IR • Privacy Masking • IP67, DC12V • Mirror • Plastic Case 	21,200,000
38	DH-HAC-HFW1500CMP		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Metal Case 	22,800,000
39	DH-HAC-HFW1500TP		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR, Electronic Defog • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Metal Case 	23,750,000
40	DH-HAC-HFW1500CP-A  MIC		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max 25fps@1080P • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67, DC12V • Mirror • Built-in Mic • Plastic Case 	21,950,000









NO.	Model	Appearance	Specification	Price (IRR)
41	DH-HAC-HFW1500CMP-A  MIC		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Built-in Mic • Metal Case 	23,850,000
42	DH-HAC-HFW1500TP-A  MIC		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Electronic Defog • Max. IR length 30m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Built-in Mic • Metal Case 	25,360,000
43	DH-HAC-HFW1500THP-I4		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • M12.Mount Type • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 40m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Metal front & bracket + plastic main body 	24,300,000
44	DH-HAC-HFW1500THP-I8		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • M12.Mount Type • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 80m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Metal front & bracket + plastic main body 	26,750,000




NO.	Model	Appearance	Specification	Price (IRR)
45	DH-HAC-HFW1500DP		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR ,Electronic Defog • Max. IR length 80m, Smart IR • Privacy Masking • IP67,DC12V • Mirror • Metal Case 	34,450,000
46	DH-HAC-HFW1500RP-Z-IRE6-A  MIC		<p>"5MP Starlight HDCVI IR Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP • HD and SD output switchable • 2.7-12 mm motorized lens • DWDR, Day/Night(ICR),BLC,HLC,2DNR, AGC • Max. IR length 60m, Smart IR • Privacy Masking • IP67, 12V±30% DC • Mirror • Built-in Mic • Metal Case 	47,650,000
47	DH-HAC-HFW1509CP-LED Full-Color		<p>"5MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR ,DWDR, Day/Night(ICR),BLC,HLC,2DNR • 20m illumination distance ,Smart IR ,IP67,DC12V • 24/7 color imaging • Privacy Masking • Mirror • Metal front & bracket + plastic main body 	28,450,000
48	DH-HAC-HFW1509TP-LED Full-Color		<p>"5MP Full-color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8mm optional) • 120 dB True WDR, 3D NR ,DWDR, Day/Night(ICR),BLC,HLC,2DNR • 20 m illumination distance ,Smart IR • 24/7 color imaging • IP67,DC12V • Metal Case 	32,100,000



NO.	Model	Appearance	Specification	Price (IRR)
49	DH-HAC-HFW1509TLMP-LED Full-Color		<p>"5MP Full-Color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR DWDR, Day/Night(ICR),BLC,HLC,HLC-Pro,2DNR • 40 m illumination distance ,Smart Light • IP67, 12V±30% DC • 24/7 color imaging • Metal front & bracket + plastic main body 	33,150,000
50	DH-HAC-HFW1509CP-A-LED Full-Color		<p>"5MP Full-Color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR ,DWDR, Day/Night(ICR),BLC,HLC,HLC-Pro,2DNR • 20m illumination distance ,Smart IR • Privacy Masking • 24/7 color imaging • IP67, 12V±30% DC • Mirror • Built-in Mic • Metal front & bracket + plastic main body 	29,500,000
51	DH-HAC-HFW1509TP-A-LED Full-Color 		<p>"5MP Full-Color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR,DWDR, Day/Night(ICR),BLC,HLC,HLC-Pro,2DNR • 20 m illumination distance • 24/7 color imaging, Smart IR • IP67, 12V±30% DC • Built-in Mic • Metal Case 	32,750,000
52	DH-HAC-HFW1509TLMP-A-LED Full-Color 		<p>"5MP Full-Color HDCVI Bullet Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR DWDR, Day/Night(ICR),BLC,HLC,HLC-Pro,2DNR • 40 m illumination distance ,Smart IR, • 24/7 color imaging • IP67, 12V±30% DC • Built-in Mic • Metal front & bracket + plastic main body 	35,800,000

NO.	Model	Appearance	Specification	Price (IRR)
53	DH-HAC-HFW1509TLMP-IL-A Full-Color		"5MP Smart Dual Illuminators HDCVI Bullet Camera" <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 4X Digital Zoom • 120 dB True WDR, 3D NR ,DWDR, Day/Night(ICR) • BLC,HLC,HLC-Pro,2DNR, Electronic Defog, • 40m illumination distance ,Smart IR • Privacy Masking • 24/7 color imaging • IP67,DC12V • Mirror • Built-in Mic • Metal Case 	41,250,000
54	DH-HAC-HFW1509MHP-A-LED Full-Color		"5MP Full-Color HDCVI Bullet Camera" <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 3.6mm fixed lens (2.8 mm optional) • 120 dB True WDR, 3D NR ,DWDR,AGC, Day/Night(ICR),BLC,HLC,HLC-Pro • 50m illumination distance ,Smart IR • Privacy Masking • 24/7 color imaging • IP67,DC12V • Mirror • Built-in Mic • Metal front & bracket + plastic main body 	39,500,000
5MP Cooper& Lite Dome HDCVI Cameras				
55	DH-HAC-T1A51P		"5MP HDCVI Fixed IR Bullet Camera" <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Max. IR length 20m, Smart IR • Privacy Masking • IP67, DC12V • Mirror • Plastic Case 	18,750,000
56	DH-HAC-T2A51P		"5MP HDCVI Fixed IR Bullet Camera" <ul style="list-style-type: none"> • Max. 25fps@5MP (16:9 video output) • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • HD and SD output switchable • Max. IR length 20m, Smart IR • Privacy Masking • IP67, DC12V • Mirror • Metal Case 	20,500,000





NO.	Model	Appearance	Specification	Price (IRR)
57	DH-HAC-HDW1500TRQP		<p>"5MP Starlight HDCVI Quick-to-install IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, • Smart IR • Privacy Masking • IP 50, 12V±30% DC • Mirror • Plastic Case 	18,900,000
58	DH-HAC-HDW1500TRQP-A 		<p>"5MP Starlight HDCVI Quick-to-install IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 25m, • Smart IR • Privacy Masking • IP 50, 12V±30% DC • Mirror • Built-in Mic • Plastic Case 	20,950,000
59	DH-HAC-HDW1500TMQP-A 		<p>"5MP Starlight HDCVI Quick-to-install Eyeball Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8 mm fixed lens (3.6 mm optional) • 120dB True WDR, 2DNR ,AWB ,Day/Night(ICR),BLC,HLC,AGC • 60m illumination distance Smart IR • Privacy Masking • IP67,DC12V • Mirror • Built-in Mic • Metal front & bracket + plastic main body 	27,500,000
60	DH-HAC-HDW1500TLMQP-A 		<p>"5MP Starlight HDCVI Quick-to-install IR Eyeball Camera"</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • DWDR, Day/Night(ICR),BLC,HLC,2DNR • Max. IR length 30m, • Smart IR • IP67,DC12V • Built-in Mic • Metal dome and cover + Plastic ring 	28,250,000



NO.	Model	Appearance	Specification	Price (IRR)
61	DH-HAC-HDW1509TLQP-LED 		<p>“5MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8 mm fixed lens (3.6 mm optional) • 120dB True WDR, 3D/2DNR ,AWB , Day/Night(ICR),BLC,HLC ,HLC-Pro • 20 m illumination distance Smart IR • Privacy Masking • 24/7 color imaging • IP67,DC12V • Mirror • Metal Inner core + Plastic Cover 	30,250,000
62	DH-HAC-HDW1509TLQP-A-LED  		<p>“5MP Full-color HDCVI Quick-to-install Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8 mm fixed lens (3.6 mm optional) • 120dB True WDR, 3D/2DNR ,AWB , Day/Night(ICR),BLC,HLC ,HLC-Pro • 20 m illumination distance Smart IR • Privacy Masking • 24/7 color imaging • IP67,DC12V • Mirror • Built-in Mic • Metal Inner core + Plastic Cover 	31,350,000
63	DH-HAC-HDW1509TP-A-LED  		<p>“5MP Full-color HDCVI Eyeball Camera”</p> <ul style="list-style-type: none"> • Max. 25fps@5MP, (16:9 video output) • CVI/CVBS/AHD/TVI switchable • 2.8mm fixed lens (3.6mm optional) • 120dB True WDR, 3D/2DNR ,AWB , Day/Night(ICR),BLC,HLC ,HLC-Pro • 40 m illumination distance Smart IR • 24/7 color imaging • IP67,DC12V • Built-in Mic • Metal Case 	34,250,000



NO.	Model	Appearance	Specification	Price (IRR)
	PTZ HDCVI Cameras			
64	SD59225I-HC-S2		<p>"25x Starlight IR PTZ HDCVI Camera"</p> <ul style="list-style-type: none"> • 1/2.8" 2Megapixel Exmor R CMOS • Max 25/30fps @1080P & 20/30/50/60fps @720P Resolution • 4.8mm ~ 120mm 25x optical zoom • Max 400°/s pan speed, 360° endless pan rotation • Control over coaxial cable, • 1-channel BNC HDCVI/CVBS output (switchable) • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • Built-in 2/1 Alarm in/out, 1 Audio Input , Rs485 • IR Distance up to 150m, IP66,OSD 	Call
65	SD59230I-HC		<p>"2MP 30x Starlight IR PTZ HDCVI Camera"</p> <ul style="list-style-type: none"> • 1/2.8" Exmor R CMOS Sensor • Max. 25/30fps @1080P(1920x1080) & 50/60fps @720 Rresolution • 4.5mm~135mm 30x optical zoom • Max 400°/s pan speed, 360° endless pan rotation • HD and SD switchable ,WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • 1 , Built-in 2/1 Alarm in/out, 1 Audio Input , Rs485 • IR Distance up to 150m, IP66,OSD 	Call
66	SD49225I-HC-LA		<p>"2MP 25x Starlight IR PTZ HDCVI Camera"</p> <ul style="list-style-type: none"> • 1/2.8" STARVIS CMOS Sensor • Max. 25/30fps @1080P(1920x1080) & 50/60fps @720P Resolution • 4.8mm~120mm 25x optical zoom • Max 400°/s pan speed 360° endless pan rotation • HD and SD switchableWDR(120dB), Day/Night(ICR), Ultra DNR, HLC, BLC, Auto iris, Auto focus • Up to 300 presets, 5 auto scan, 8 tour, 5 pattern • 1CH Audio In Rs485 • IR Distance up to 100m, IP66,OSD 	Call

NO.	Model	Appearance	Specification	Price (IRR)
67	4ch Penta-brid Cooper WizSense Digital Video Recorders		<p>"4 CH Penta-brid 1080N/720P Cooper 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264 video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	22,950,000
68	DH-XVR1B04-I WizSense		<p>"4 CH Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • Supports Full channel AI-Coding • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 4 channels video stream (analog channel) SMD Plus • P2P Support 	30,250,000





NO.	Model	Appearance	Specification	Price (IRR)
69	DH-XVR1B04H-I 		<p>"4 CH Penta-brid 5M-N/1080p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • Supports Full channel AI-Coding • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6MP(32 Mbps)] • 1 RCA Audio In/Out 4CH BNC(Coaxial Audio), 1*SATA port up to 16 TB HDD, 1*HDMI, 1*VGA simultaneous video Output, 2*USB ports (USB 2.0), 10/100 Mbps LAN Interface • 1 (10/100 Mbps Ethernet port, RJ-45) • Up to 4 channels video stream (analog channel) SMD Plus • P2P Support • 12V DC, 1.5A Power Supply 	38,500,000
70	DH-XVR1A08		<p>"8 CH Penta-brid 1080N/720P Cooper 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264 video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 5 MP(40 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	28,760,000





NO.	Model	Appearance	Specification	Price (IRR)
71	DH-XVR1B08-I 		<p>"8 CH Penta-brid 1080N/720p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • Supports Full channel AI-Coding • H.265+/H.265 dual-stream video compression • 8CH:1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 6 MP(40 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous ,video Output • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 4 channels video stream (analog channel) SMD Plus • P2P Support 	35,900,000
72	DH-XVR1B08H-I 		<p>"8 CH Penta-brid 5M-N/1080p Cooper 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • Supports Full channel AI-Coding • H.265+/H.265 dual-stream video compression • 8CH:1/4/8/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 MP(64 Mbps)] • 1 RCA Audio In/Out 8CH BNC(Coaxial Audio), 1*SATA port up to 16 TB HDD, 1*HDMI, 1*VGA simultaneous video Output, 2*USB ports (USB 2.0), 10/100 Mbps LAN Interface • 1 (10/100 Mbps Ethernet port, RJ-45) • Up to 8 channels video stream (analog channel) SMD Plus • P2P Support • DC12V 5A Power Supply 	59,000,000




NO.	Model	Appearance	Specification	Price (IRR)
	16ch Penta-brid Cooper WizSense Digital Video Recorder			
73	DH-XVR1B16-I WizSense		"16 CH Penta-brid 1080N/720p Compact 1U 1HDD WizSense Digital Video Recorder" <ul style="list-style-type: none"> • H.265/H.264 video compression • 16CH: 1/4/9/16 • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+2 IP up to 6 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous video Output • 2*USB 2.0, 10/100 Mbps LAN Interface, • Up to 8 channels video stream (analog channel) SMD Plus • P2P Support 	72,500,000
	4ch Penta-brid Digital Video Recorder			
74	DH-XVR4104HS-X1		"4 CH Penta-brid 720P Compact 1U Digital Video Recorder" <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 MP(20 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI, VGA simultaneous video Output • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	EOL





NO.	Model	Appearance	Specification	Price (IRR)
75	8ch Penta-brid Digital Video Recorder DH-XVR4108HS-X1		<p>"8 CH Penta-brid 720P Compact 1U Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265 video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 6 MP (40 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI, VGA simultaneous video Output • Rs485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • P2P Support 	EOL
76	4ch Penta-brid WizSense Digital Video Recorders DH-XVR5104HS-I3 WizSense		<p>"4 CH Penta-brid 1080p/720p Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6 MP(32 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 6 TB, HDMI VGA simultaneous ,video Output • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 4ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	49,000,000




NO.	Model	Appearance	Specification	Price (IRR)
77	DH-XVR5104HS-4KL-I3 		<p>"4 Channels Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4CH: 1/4 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+4 IP up to 8 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 4ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	72,000,000
78	DH-XVR5108HS-I3 		<p>"8 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 MP(64 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, HDMI ,VGA simultaneous video Output, • RS485 for PTZ support • 2*USB 2.0, 10/100 Mbps LAN Interface • Up to 1ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 1ch video stream (analog channel) human face recognition • IoT & POS functionalities 	73,250,000

NO.	Model	Appearance	Specification	Price (IRR)
79	DH-XVR5108HS-4KL-I2 		<p>“8 CH Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+8 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, 4K HDMI,VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	EOL
80	DH-XVR5108HS-4KL-I3 		<p>“8 CH Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 8CH: 1/4/9 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+8 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 1 SATA Port, Up to 10 TB, 4K HDMI,VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 8ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	120,000,000





NO.	Model	Appearance	Specification	Price (IRR)
81	DH-XVR5116HS-S2 		<p>"16 CH Penta-brid 1080P Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 4M-N/1080P(1~15fps); 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8 IP up to 5 MP) • 1/1 Audio In/Out, 1 SATA Port, Up to 8 TB,1*HDMI, 1*VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support 	EOL
82	DH-XVR5116HS-I2 		<p>"16 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 5M-N (1fps-10fps); 4M-N/1080P (1fps-15fps); 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8) IP up to 5MP (128 Mbps) • 1/1 Audio In/Out, 1 SATA Port, Up to 8 TB,1*HDMI, 1*VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Up to 2 channels video stream (analog channel) Perimeter Protection • Up to 16 channels video stream (analog channel) SMD Plus • Up to 2 channels video stream (analog channel) human face recognition • IoT & POS functionalities 	113,420,000

NO.	Model	Appearance	Specification	Price (IRR)
83	DH-XVR5116HS-I3 		<p>"16 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 5M-N (1fps-10fps); 4M-N/1080P (1fps-15fps); • 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps),16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8) IP up to 6 MP (128 Mbps) • 1/1 RCA Audio In/Out, 1 SATA Port up to 16TB for a single HDD, 1*HDMI, 1*VGA, simultaneous video Output • RS485 1 Port for PTZ Control • 2*USB Ports(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Up to 4 channels video stream (analog channel) Perimeter Protection • Up to 16 channels video stream (analog channel) SMD Plus • Up to 2 channels video stream (analog channel) human face recognition • IoT & POS functionalities • DC12V 5A Power Supply 	125,000,000
84	DH-XVR5216AN-S2		<p>"16 CH Penta-brid 5M-N/1080P 1U 2HDDs Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 5 MP(96 Mbps)] • 4 Audio Input / 1 Audio Output, 2 SATA Port, Up to 16 TB, HDMI VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • P2P Support • Support Smart Search and Intelligent Video System 	EOL

NO.	Model	Appearance	Specification	Price (IRR)
85	DH-XVR5216AN-I2 		<p>"16 CH Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+4 IP up to 6 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 2 SATA Port, Up to 10 TB, HDMI,VGA simultaneous video Output • RS485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 2ch video stream (analog channel) Perimeter Protection • Up to 16ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	EOL
86	DH-XVR5216AN-I3 		<p>"16 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 5M-N (1fps-10fps); 4M-N/1080p (1fps-15fps); 1080N/720p/960H/D1/CIF (1fps-25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8) IP up to 6 MP (128 Mbps) • 1/1 RCA Audio In/Out, 2 SATA Ports, up to 16TB for a single HDD, 1*HDMI, 1*VGA simultaneous video Output • Two-way Talk • Rs485 1 Port for PTZ Control • 2*USB Ports(1 USB2.0, 1 USB3.0), 1(10/100/1000 Mbps Ethernet port, RJ-45) • Up to 4 channels video stream (analog channel) Perimeter Protection • Up to 16 channels video stream (analog channel) SMD Plus • Up to 2 channels video stream (analog channel) human face recognition • IoT & POS functionalities • DC12V 5A Power Supply 	159,000,000

NO.	Model	Appearance	Specification	Price (IRR)
87	DH-XVR5116H-4KL-I3 		<p>“16 Channels Penta-brid 4K-N/5MP Mini 1U 1HDD WizSense Digital Video Recorder”</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 4K(1fps-7fps); 6MP(1fps-10fps); 5MP(1fps-12fps); 4K-N, 4MP, 3MP@(1fps-15fps); 4M-N, 1080p, 720p, 960H, D1,CIF(1fps-25/30fps); • 16CH Playback • Pentabrid (IP/HDCVI/AHD/TVI/CVBS) N+M [16+16 IP up to 8 MP(128 Mbps)] • 1 Audio Input & 1 Audio Output RCA, 1 SATA Port Up to 16 TB, 14K HDMI, 1VGA simultaneous video Output. • RS485 for PTZ Support • 1USB 2.0 Front, 1USB 3.0 Rear • 1*Network Port 10/100/1000 Mbps LAN Interface RJ-45. • Up to 8ch video stream (analog channel) Perimeter Protection. • Up to 16ch video stream (analog channel) SMD Plus. • Up to 2ch video stream (analog channel) human face recognition. • IoT & POS functionalities. • Power Supply DC 12V, 3A • P2P Support 	208,650,000
88	DH-XVR5216AN-4KL		<p>“16 Channel Penta-brid 4K-N/5MP 1U 2HDDs Digital Video Recorder ”</p> <ul style="list-style-type: none"> • H.264+/H.264 dual-stream video compression • 4K(1~7fps); 5MP(1~12fps); 4MP/3MP(1~15fps); 1080P/720P/960H/D1/CIF/QCIF (1~25/30fps), 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M (16+8 IP up to 8 MP) • 1/1 Audio In/Out, 2 SATA Port, Up to 8 TB,1*HDMI, 1*VGA simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0) 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support 	205,000,000

NO.	Model	Appearance	Specification	Price (IRR)
89	DH-XVR5216AN-4KL-I3 		<p>"16 CH Penta-brid 4K Value 5MP 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 16CH: 1/4/9/16 Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+16 IP up to 8 MP(128 Mbps)] • 1 Audio Input / 1 Audio Output, 2 SATA Port, Up to 10 TB, 4K HDMI,VGA simultaneous video Output • Rs485 for PTZ support • 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface • Up to 8ch video stream (analog channel) Perimeter Protection • Up to 16ch video stream (analog channel) SMD Plus • Up to 2ch video stream (analog channel) human face recognition • IoT & POS functionalities • P2P Support 	242,500,000
<hr/>				
90	 DH-XVR5232AN-S2		<p>"32 CH Penta-brid 1080P Digital Video Recorder"</p> <ul style="list-style-type: none"> • 16 Channel Playback • H.264+/H.264 dual-stream video compression • 5M-N@10fps 4MN/1080P @ 15fps, 1080N/720P@25fps • Pentabrid (IP+CVI+AHD+TVI+CVBS) [32 IP up to 6 MP(128 Mbps)] • 1/1 Audio In/Out, 2 SATA Port, Up to 16 TB, 1*HDMI(4K) 1*VGA, simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0), 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support 	EOL

NO.	Model	Appearance	Specification	Price (IRR)
91	DH-XVR5232AN-I2 		<p>"32 Channel Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • 16 Channel Playback • H.265+/H.265/H.264+/H.264 dual-stream video compression • 5M-N@10fps 4MN/1080P @ 15fps, 1080N/720P@25fps • Pentabrid (IP+CVI+AHD+TVI+CVBS) [32 IP up to 6 MP(128 Mbps)] • 1/1 Audio In/Out, 2 SATA Port, Up to 10 TB, 1*HDMI(4K) 1*VGA, simultaneous video Output • RS485 for PTZ support • 2*USB(1 USB2.0, 1 USB3.0), 1*10/100/1000 Mbps LAN Interface • Support Smart Search and Intelligent Video System • P2P Support 	235,000,000
92	DH-XVR5232AN-I3 		<p>"32 Channel Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder"</p> <ul style="list-style-type: none"> • H.265+/H.265 dual-stream video compression • 5M-N(1fps-10fps); 4M-N/1080P(1fps-15fps); 1080N/720P/960H/D1/HD1/BCIF/CIF/QCIF (1~25/30fps) • 16CH Playback • Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [32 IP up to 6 MP (128 Mbps)] • 1/1 RCA Audio In/Out 32CH BNC(Coaxial Audio), 2*SATA ports up to 16TB capacity for each disk HDD Interface, 1*HDMI, 1*VGA simultaneous video Output, 2*USB Port(1 front USB 2.0 port, 1 - rear USB 3.0 port), 1CH TV Output • RS485 for PTZ support • 1 (10/100/1000 Mbps Ethernet port, RJ-45) • Up to 8 channels video stream (analog channel) Perimeter Protection • Up to 16 channels video stream (analog channel) SMD Plus • Up to 2 channels video stream (analog channel) human face recognition • IoT & POS functionalities • Rack Mount, DC12V 5A Power Supply 	259,000,000

NO. Model Appearance Specification Price (IRR)

93

DH-XVR5432L-I2

WizSense



- “32 CH Penta-brid 5M-N/1080P WizSense Digital Video Recorder”
- H.265+/H.265 dual-stream video compression
 - 32CH: 1/4/9/16 Playback
 - Pentabrid (IP+CVI+AHD+TVI+CVBS)
N+M [16+16 IP up to 6 MP(128 Mbps)]
 - 1 Audio Input / 1 Audio Output, 4 SATA Port,
Up to 10 TB, 4K HDMI, VGA simultaneous video Output
 - Rs485 for PTZ support
 - 1*USB 2.0 ,1*USB 3.0 ,10/100/1000 Mbps LAN Interface
 - Up to 2ch video stream (analog channel) Perimeter Protection
 - Up to 16ch video stream (analog channel) SMD Plus
 - Up to 2ch video stream (analog channel) human face recognition
 - IoT & POS functionalities
 - P2P Support ,10ch IVS each channel

Call



مشتری گرامی؛
با تشکر از حسن انتخاب شما ؛
جهت فعالسازی و اطلاع از مدت زمان گارانتی کافیسیت
به سایت پرارین به آدرس perarinco.com مراجعه کنید.
همچنین جهت بهره مندی از خدمات پشتیبانی ۲۴ ساعته
پرارین با شماره تماس ۰۳۰۴۰۹۱۳۰۲۱ حاصل فرمایید

Perarin
24+6
ماه گارانتی